

CATALOGUE

CONCRETE AND METAL

THE CONCRETE AND METAL
COLLECTION

TABLE OF CONTENT

Concrete Accessory

Wire

Fence


Concrete Nails

Coil/Thread Rod

Steel Strapping






CONCRETE ACCESSORY



Steel Forming Stakes


Item Number	Size	Length	PCS/Box	Boxes/PLT
FS34-12	3/4"	12"	10	150
FS34-18	3/4"	18"	10	100
FS34-24	3/4"	24"	10	75
FS34-30	3/4"	30"	10	60
FS34-36	3/4"	36"	10	50
FS34-42	3/4"	42"	10	40
FS34-48	3/4"	48"	10	35



Steel Forming Stakes


**Special
Order**


Item Number	Size	Length	PCS/Box	Boxes/PLT
FS78-18	7/8"	18"	10	100
FS78-24	7/8"	24"	10	75
FS78-30	7/8"	30"	10	50
FS78-36	7/8"	36"	10	35
FS78-48	7/8"	48"	10	35



Metal Lath


Item Number	Length	Weight	Weight / PCS	PCS/Skid
ML-2784-80	27" x 84"	1.75 LB	0.80 KG / PCS	500 PCS
ML-2784	27" x 84"	1.75 LB	1.00 KG / PCS	500 PCS
ML-2796	27" x 96"	1.75 LB	1.15 KG / PCS	500 PCS
ML278425-60	27" x 84"	2.5 LB	1.58 KG / PCS	500 PCS
ML-279625	27" x 96"	2.5 LB	1.80 KG / PCS	500 PCS
ML-279634	27" x 96"	3.4 LB		500 PCS





Concrete Blanket

Item Number	Length	PCS/Skid
CCB0824	8ft x 24 ft	32
CCB1220	12ft x 20ft	32
CCB1224	12ft x 24ft	32
Note:Foam insulation thickness 4mm,..250g/m2		




Transparent Tarps

Item Number	Length	PCS/Bale	Bales/Skid
TT1520	15ft x 20ft	6	24
TT2030	20ft x 30ft	3	24
TT3050	30ft x 50ft	1	28
Note: Sewed with Finished grammage 120g, 10 X 10 weave per sq inch, Transparent tarps (Heavy duty)			



DRIVEN[®]
CONCRETE





Anchor Bolts

Item Number	Size	Type	Qty/Box	Boxes/PLT
600AB50	6"	1/2"	50	50
800AB50	8"	1/2"	50	50
1000AB50	10"	1/2"	50	50
1200AB50	12"	1/2"	50	50
1400AB50	14"	1/2"	50	50
1600AB50	16"	1/2"	50	50
Note: 1/2-inch Anchor Bolts With Nuts and Washers, Plain Oiled				



Item Number	Size	Type	Qty/Box	Boxes/PLT
600ABPT	6"	1/2"	100	50
800ABPT	8"	1/2"	100	50
Note: 1/2-inch Pigtail (Z) Anchor Bolts With Nuts and Washers, Plain Oiled				



DRIVEN[®]
CONCRETE




WIRE



Wire Mesh


Item Number	Size	Gauge	Diameter	PCS/CTNR
WM10G4X8	4' x 8'	10GA	3.43mm	6750
WM10G8X20	8' x 20'	10GA	3.43mm	1360
WM9G4X8	4' x 8'	9GA	3.76mm	5900
WM9G8X20	8' x 20'	9GA	3.76mm	1240
WM6G4X8	4' x 8'	6GA	4.88mm	4600
WM6G8X20	8' x 20'	6GA	4.88mm	840




Wire Mesh Roll

**Special
Order**

Item Number	Size	Gauge	Diameter	PCS/CTNR
WM10G6X200	6' x 200'	10GA	3.43mm	6750
WM9G6X200	6' x 200'	9GA	3.76mm	5900
WM6G6X200	6' x 200'	6GA	4.88mm	4600






DRIVEN[®]
CONCRETE



Bar Loop Tie


Item Number	Length	PCS/Bag	Bag/PLT
16GA4BABT	4"	2,500	128
16GA5BABT	5"	2,500	112
16GA6BABT	6"	2,500	96
16GA7BABT	7"	2,500	80
16GA8BABT	8"	2,500	64
16GA9BABT	9"	2,500	64
16GA10BABT	10"	2,500	48
16GA12BABT	12"	2,500	48
16GA14BABT	14"	2,500	24
16GA18BABT	18"	2,500	24





Tie Wire

Item Number	Weight	Gauge	Rolls/Box	Boxes/PLT
TW16GA-EC	3LB	16GA	16	48
TW16.5GA-EC	3LB	16.5GA	16	48
TW16GA3125	3.125LB	16GA	16	48
TW16.5GA3125	3.125LB	16.5GA	16	48
FW9GA50LB	50LB	9GA	50 (BNDL)	1




Coated Bar Tie

Item Number	Length	PCS/Bag	Bag/PLT
16GA6CBT	6"	2,500	96
16GA6CBT	7"	2,500	80
16GA6CBT	8"	2,500	64





FENCE



Farm Fence



**Special
Order**

Item Number	Size	Type	Qty/Pkg
FF15100x340	1.5m x 100m	2mm Dia	1
FF15100x100	1.5m x 100m	2mm Dia	1
FF15100x150	1.5m x 100m	2mm Dia	1



T-post


Item Number	Size	Type	Qty/Pkg
400TP	4'	13 Holes	10
500TP	5'	18 Holes	10
600TP	6'	18 Holes	10
700TP	7'	18 Holes	10
800TP	8'	18 Holes	10



DRIVEN[®]
CONCRETE




CONCRETE NAILS



Common Nails 50 LBS

Item Number	Size	Shank	Approx Qty	Finish	Ctn / Skid
100COM50LB	1"	Smooth	37320	Bright	48
114COM50LB	1 1/4"	Smooth	27150	Bright	48
112COM50LB	1 1/2"	Smooth	14700	Bright	48
200COM50LB	2"	Smooth	8350	Bright	48
212COM50LB	2 1/2"	Smooth	7500	Bright	48
214COM50LB	2 1/4"	Smooth	5050	Bright	48
300COM50LB	3"	Smooth	3300	Bright	48
314COM50LB	3 1/4"	Smooth	3050	Bright	48
312COM50LB	3 1/2"	Smooth	2350	Bright	48
312COM50LB-V	3 1/2"	Smooth	2350	Vinyl	48
400COM50LB	4"	Smooth	1450	Bright	48
500COM50LB	5"	Smooth	850	Bright	48
600COM50LB	6"	Smooth	500	Bright	48
800COM50LB	8"	Smooth	165	Bright	48
1000COM50LB	10"	Smooth	230	Bright	48
1200COM50LB	12"	Smooth	125	Bright	48
1400COM50LB	14"	Smooth	105	Bright	48



Common Nails 50 LBS HDG

Item Number	Length	Shank	Approx Qty	Finish	Ctn / Skid
112COM50LB-HDG	1 1/2"	Smooth	14700	HDG	48
300COM50LB-HDG	3"	Smooth	3300	HDG	48
312COM50LB-HDG	3 1/2"	Smooth	2350	HDG	48
1000COM50LB-HDG	10"	Smooth	220	HDG	48
1200COM50LB-HDG	12"	Smooth	180	HDG	48

DRIVEN[®]
CONCRETE



Common Nails 5 LBS

Item Number	Length	Shank	Approx Qty	Finish	Box / Ctn
100COM-5LB	1"	Smooth	3732	Bright	8
114COM-5LB	1 1/4"	Smooth	2715	Bright	8
112COM-5LB	1 1/2"	Smooth	1470	Bright	8
200COM-5LB	2"	Smooth	835	Bright	8
212COM-5LB	2 1/2"	Smooth	505	Bright	8
300COM-5LB	3"	Smooth	330	Bright	8
312COM-5LB	3 1/2"	Smooth	235	Bright	8
400COM-5LB	4"	Smooth	145	Bright	8



Concrete Nails 50 LBS

Item Number	Length	Shank	Approx Qty	Finish	Ctn / Skid
100CON50LB	1"	Smooth	9300	Bright	48
114CON50LB	1 1/4"	Smooth	7600	Bright	48
112CON50LB	1 1/2"	Smooth	6400	Bright	48
134CON50LB	1 3/4"	Smooth	5600	Bright	48
200CON50LB	2"	Smooth	4900	Bright	48
212CON50LB	2 1/2"	Smooth	3900	Bright	48
300CON50LB	3"	Smooth	3250	Bright	48
312CON50LB	3 1/2"	Smooth	2400	Bright	48



DRIVEN[®]
CONCRETE

Concrete Nails 50 LBS


Item Number	Length	Shank	Approx Qty	Finish	Box / Ctn
100CON-5LB	1"	Smooth	930	Bright	8
114CON-5LB	1 1/4"	Smooth	760	Bright	8
112CON-5LB	1 1/2"	Smooth	640	Bright	8
134CON-5LB	1 3/4"	Smooth	560	Bright	8
200CON-5LB	2"	Smooth	490	Bright	8
212CON-5LB	2 1/2"	Smooth	390	Bright	8
300CON-5LB	3"	Smooth	325	Bright	8
312CON-5LB	3 1/2"	Smooth	240	Bright	8



Double Head Nails 50 LBS

Item Number	Length	Shank	Approx Qty	Finish	Ctn / Skid
134DHN50LB	1 3/4"	Smooth	7800	Bright	48
214DHN50LB	2 1/4"	Smooth	4500	Bright	48
212DHN50LB	2 1/2"	Smooth	3450	Bright	48
234DHN50LB	2 3/4"	Smooth	2950	Bright	48
300DHN50LB	3"	Smooth	2250	Bright	48
314DHN50LB	3 1/4"	Smooth	1750	Bright	48
312DHN50LB	3 1/2"	Smooth	1400	Bright	48






Double Head Strip Nails

Item Number	Length	Diameter	QTY	Shank	Finish
234DHPLS2M	2 3/4"	.131	2000	Smooth	Bright
312DHPLS2M	3 1/2"	.131	2000	Smooth	Bright







**COIL/THREAD
ROD**



Coil Rod

**Special
Order**

Item Number	Size	Type	Qty/Pkg
12CR	12'	1/2"	200
34CR	12'	3/4"	100
1CR	12'	1"	50



Thread Rod

**Special
Order**

Item Number	Size	Type	Qty/Pkg
38TR16	16 x 10	3/8"	20
12TR133	133 x 10	1/2"	20



DRIVEN[®]
CONCRETE




STEEL STRAPPING



Steel Strapping

**Special
Order**

Item Number	Width	Thickness	Break Strength	Approx Length
12020SD	1/2"	0.020"	1180 LBS	2940'
12023SD	1/2"	0.023"	1340 LBS	2560'
58020SD	5/8"	0.020"	1470 LBS	2360'
58023SD	5/8"	0.023"	1670 LBS	2050'
34020SD	3/4"	0.020"	1760 LBS	1960'
34023SD	3/4"	0.023"	2010 LBS	1710'
34020HT	3/4"	0.020"	2250 LBS	1960'
34023HT	3/4"	0.023"	2260 LBS	1710'
114031HT	1 1/4"	0.031"	5596 LBS	760'




DRIVEN[®]
CONCRETE



PET Strapping

**Special
Order**

Item Number	Width	Thickness	Break Strength	Approx Length
12028-PET-SMTH	1/2"	0.028"	700 LBS	6400'
58030-PET-EMB	5/8"	0.030"	1100 LBS	4600'
58035-PET-SMTH	5/8"	0.035"	1410 LBS	4000'
58035-PET-EMB	5/8"	0.035"	1410 LBS	4000'
58040-PET-SMTH	5/8"	0.040"	1565 LBS	3750'
58040-PET-EMB	5/8"	0.040"	1565 LBS	3750'
34040-PET-SMTH	3/4"	0.040"	1900 LBS	3000'
58035-PET-SMTH-BLK	5/8"	0.035"	1410 LBS	4000'
58040-PET-SMTH-BLK	5/8"	0.040"	1565 LBS	3750'
Note: SMTH (Smooth Machine) and EMB(Embossed Machine)				



DRIVEN[®]
CONCRETE



Contact us:

Phone: 905 670 7783

Email: orders@canadafastening.com

Address: 5115 Satellite DR, Mississauga, ON,
L4W 5B6